

CERTIFICATE

(1) EU-Type Examination

(2) **Equipment or protective systems intended for use in potentially explosive atmospheres - Directive 2014/34/EU**

(3) EU-Type Examination Certificate Number: **KEMA 06ATEX0201** Issue Number: **3**

(4) Product: **Loop Powered Indicator Type 6DV-B**

(5) Manufacturer: **MG CO., LTD.**

(6) Address: **5-2-55 Minamitsumori, Nishinari-ku, Osaka 557-0063, Japan**

(7) This product and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

(8) DEKRA Certification B.V., Notified Body number 0344 in accordance with Article 17 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, certifies that this product has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in confidential test report number 2092893-2, issue 3.

(9) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN 60079-0 : 2009

EN 60079-1 : 2007

except in respect of those requirements listed at item 18 of the Schedule.

(10) If the sign "X" is placed after the certificate number, it indicates that the product is subject to the Specific Conditions of Use specified in the schedule to this certificate.

(11) This EU-Type Examination Certificate relates only to the design and construction of the specified product. Further requirements of the Directive apply to the manufacturing process and supply of this product. These are not covered by this certificate.

(12) The marking of the product shall include the following:



II 2 G Ex d IIC T5, T6 Gb

Date of certification: 14 November 2023

DEKRA Certification B.V.

R. Schuller
Certification Manager



Throughout this document, a point is used as the decimal separator.

© Integral publication of this certificate and adjoining reports is allowed. This Certificate may only be reproduced in its entirety and without any change.

(13) **SCHEDULE**

(14) **to EU-Type Examination Certificate KEMA 06ATEX0201**

Issue No. **3**

(15) **Description**

The Loop Powered Indicator Type 6DV-B displays a 4 to 20 mA input signal.

Ambient temperature range for T6: -40 °C ... +70 °C
T5: -40 °C ... +80 °C

Electrical data

Power supply current: 4-20 mA
Voltage drop: 4 Vdc

Installation instructions

The manufacturers instructions shall be followed in detail to assure safe operation.

(16) **Report Number**

No. 2092893-2, issue 3.

(17) **Specific conditions of use**

None.

(18) **Essential Health and Safety Requirements**

Covered by the standards listed at item (9).

(19) **Test documentation**

As listed in Test Report No. 2092893-2, issue 3.