## Lightning Surge Protectors for Electronics Equipment M-RESTER


## LIGHTNING SURGE PROTECTOR FOR STANDARD SIGNAL LINE & PULSE USE

(24 V DC; rack mounted)

#### **Functions & Features**

• Designed specifically for 4 – 20 mA DC and pulse signal line including both 4-wire and 2-wire transmitters

- Absorbing surges only without affecting instrumentation signal
- Rack-mounted
- Two channels in one housing



## MODEL: MGD-24

### **ORDERING INFORMATION**

Code number: MGD-24

### **GENERAL SPECIFICATIONS**

Construction: Rack-mounted; terminal access via screw terminals at the front; terminal cover provided Connection: M3.5 screw terminals (torque 0.8 N·m) Screw terminal: Nickel-plated steel Housing material: Flame-resistant resin (black)

### INSTALLATION

Operating temperature: -5 to +55°C (23 to 131°F) Operating humidity: 30 to 90 %RH (non-condensing) Mounting: Rack-mounted; Standard Rack Mounting Frame BX-16G available Weight: 200 g (0.44 lb)

### PERFORMANCE

Discharge voltage (peak voltage) Line to line: 30 V min. Line to ground: ±500 V max. Max. surge voltage Line to line: 40 V max. Line to ground: ±650 V max.

(The maximum voltage that could pass through the surge protector. Protected equipment must be able to withstand this voltage for a very short time period.)

**Response time**:  $\leq 0.1 \ \mu sec$ .

#### Leakage current:

Line to line:  $\leq$  5 µA @ 30 V DC


Line to ground:  $\leq$  5 µA @ ±140 V DC

Max. discharge current (Imax): 1000 A (8/ 20 µsec.)


Max. load current: 100 mA

Internal series resistance: Approx. 20  $\Omega$  including return Maximum line voltage: 30 V

#### **CONNECTION EXAMPLES**




#### GROUNDING



A crossover wire between M-RESTER ground and ground or metallic housing of equipment is required for protection.

If the protected equipment has no ground terminal, ground the M-RESTER only.


### EXTERNAL DIMENSIONS & TERMINAL ASSIGNMENTS unit: mm [inch]




• When mounting, no extra space is needed between units.

### MOUNTING REQUIREMENTS unit: mm [inch]

ANGLE BRACKET



# SCHEMATIC CIRCUITRY





Specifications are subject to change without notice.