

ORDERING INFORMATION

Model: R7D-PA8

PLEASE FILL IN THIS SECTION



Model
Company
Name
P/O No.

FACTORY USE ONLY



Job No.	Approved by (Sales office)
Ser No.	Issued by (Sales office)
Sales Rep.	Approved by (Factory)
	Issued by (Factory)
	Ser No.

Specify the items you want to change. Default setting will be used if not specified.
DEFAULT shows values in case of nothing specified.

■ BAUD RATE SETTING (B.RATE Switch)

PARAMETER	SET VALUE	DEFAULT VALUE	Factory Internal check
BAUD RATE	<input type="checkbox"/> 125 kbps (0)	125 kbps (0)	<input type="checkbox"/>
	<input type="checkbox"/> 250 kbps (1)		
	<input type="checkbox"/> 500 kbps (2)		
	<input type="checkbox"/> Auto tracking (3)		

■ NODE ADDRESS SETTING (NODE ADD. Switch)

PARAMETER	SETTING RANGE	SET VALUE	DEFAULT VALUE	Factory Internal check
NODE ADDRESS	1 - 63		0	<input type="checkbox"/>

■ EXTENSION SETTING

PARAMETER	SET VALUE	DEFAULT VALUE	Factory Internal check
EXTENSION	<input type="checkbox"/> No extension	No extension	<input type="checkbox"/>
	<input type="checkbox"/> Discrete input, 8 or 16 points		
	<input type="checkbox"/> Discrete output, 8 or 16 points		

■ OUTPUT AT THE LOSS OF COMMUNICATION SETTING *

PARAMETER	SET VALUE	DEFAULT VALUE	Factory Internal check
OUTPUT AT THE LOSS OF COMMUNICATION	<input type="checkbox"/> Hold the output (maintains the last data received normally)	Hold the output	<input type="checkbox"/>
	<input type="checkbox"/> Reset the output (turned off)		

* Only for Discrete output extension module.

■ ACCUMULATED PULSE COUNT SETTING

Ch	PARAMETER	SET VALUE	DEFAULT VALUE	Factory Internal check
Ch 0	MAXIMUM COUNT VALUE (1 000 to 4 294 967 295)		9 999 999	<input type="checkbox"/>
	RESET VALUE FOR OVERFLOW	<input type="checkbox"/> 0 <input type="checkbox"/> 1	0	<input type="checkbox"/>
Ch 1	MAXIMUM COUNT VALUE (1 000 to 4 294 967 295)		9 999 999	<input type="checkbox"/>
	RESET VALUE FOR OVERFLOW	<input type="checkbox"/> 0 <input type="checkbox"/> 1	0	<input type="checkbox"/>
Ch 2	MAXIMUM COUNT VALUE (1 000 to 4 294 967 295)		9 999 999	<input type="checkbox"/>
	RESET VALUE FOR OVERFLOW	<input type="checkbox"/> 0 <input type="checkbox"/> 1	0	<input type="checkbox"/>
Ch 3	MAXIMUM COUNT VALUE (1 000 to 4 294 967 295)		9 999 999	<input type="checkbox"/>
	RESET VALUE FOR OVERFLOW	<input type="checkbox"/> 0 <input type="checkbox"/> 1	0	<input type="checkbox"/>
Ch 4	MAXIMUM COUNT VALUE (1 000 to 4 294 967 295)		9 999 999	<input type="checkbox"/>
	RESET VALUE FOR OVERFLOW	<input type="checkbox"/> 0 <input type="checkbox"/> 1	0	<input type="checkbox"/>
Ch 5	MAXIMUM COUNT VALUE (1 000 to 4 294 967 295)		9 999 999	<input type="checkbox"/>
	RESET VALUE FOR OVERFLOW	<input type="checkbox"/> 0 <input type="checkbox"/> 1	0	<input type="checkbox"/>
Ch 6	MAXIMUM COUNT VALUE (1 000 to 4 294 967 295)		9 999 999	<input type="checkbox"/>
	RESET VALUE FOR OVERFLOW	<input type="checkbox"/> 0 <input type="checkbox"/> 1	0	<input type="checkbox"/>
Ch 7	MAXIMUM COUNT VALUE (1 000 to 4 294 967 295)		9 999 999	<input type="checkbox"/>
	RESET VALUE FOR OVERFLOW	<input type="checkbox"/> 0 <input type="checkbox"/> 1	0	<input type="checkbox"/>

■ INTERFACE SETTING

PARAMETER	SETTING RANGE	SET VALUE	DEFAULT VALUE	Factory Internal check
Communication Timeout	0 to 32767 (1 = 0.1 sec.)		30 (3.0 sec.)	<input type="checkbox"/>
Status Data	OFF: Disable ON: Enable		OFF: Disable	<input type="checkbox"/>