ORDERING INFORMATION MODEL : R7I4DML3-DC32A

PLEASE FILL IN THIS SECTION

Model	
Company	
Name	
P/O No.	

FACTORY USE ONLY

Job No.		Approved by (Sales office)
Ser No.		Issued by (Sales office)
Sales		Approved by (Factory)
		Set by (Factory)
		Ser No.

Specify the items you want to change. Default setting will be used if not specified.
DEFAULT shows values in case of nothing specified.

■ **UNUSED SETTING**

CHANNEL	SET VALUE	DEFAULT VALUE	Factory Internal check
OUTPUT 0	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 1	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 2	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 3	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 4	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 5	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 6	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 7	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 8	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 9	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 10	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 11	☐ CH Enable ☐ CH Disable	CH Enable	☐

MG CO., LTD.
www.mgco.jp

CHANNEL	SET VALUE	DEFAULT VALUE	Factory Internal check
OUTPUT 12	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 13	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 14	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 15	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 16	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 17	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 18	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 19	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 20	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 21	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 22	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 23	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 24	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 25	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 26	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 27	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 28	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 29	☐ CH Enable ☐ CH Disable	CH Enable	☐
OUTPUT 30	☐ CH Enable ☐ CH Disable	CH Enable	☐

CHANNEL	SET VALUE	DEFAULT VALUE	Factory Internal check
OUTPUT 31	☐ CH Enable ☐ CH Disable	CH Enable	☐

■ **OUTPUT AT COMMUNICATION ERROR**

ITEM	AVAILABLE RANGE	SET VALUE	DEFAULT VALUE	Factory Internal check
OUTPUT AT COMMUNICATION ERROR	Choose from right	☐ Output hold ☐ Output clear	Output hold	☐