

# ORDERING INFORMATION

# MODEL : R3-CT4B

PLEASE FILL IN THIS SECTION



Model \_\_\_\_\_

Company \_\_\_\_\_

Name \_\_\_\_\_

P/O No. \_\_\_\_\_

FACTORY USE ONLY



Job No. \_\_\_\_\_

Ser No. \_\_\_\_\_

Sales \_\_\_\_\_

Approved by (Sales office) \_\_\_\_\_

Issued by (Sales office) \_\_\_\_\_

Approved by (Factory) \_\_\_\_\_

Set by (Factory) \_\_\_\_\_

Ser No. \_\_\_\_\_

**Specify the items you want to change. Default setting will be used if not specified.**  
 DEFAULT shows values in case of nothing specified.

## ■ SENSOR SETTING

CHANNEL	SET VALUE	DEFAULT VALUE	Factory Internal check
INPUT 1	<input type="checkbox"/> 0 to 50 A AC	0 to 600 A AC	<input type="checkbox"/>
	<input type="checkbox"/> 0 to 100 A AC		
	<input type="checkbox"/> 0 to 200 A AC		
	<input type="checkbox"/> 0 to 400 A AC		
	<input type="checkbox"/> 0 to 600 A AC		
	<input type="checkbox"/> Unused		
INPUT 2	<input type="checkbox"/> 0 to 50 A AC	0 to 600 A AC	<input type="checkbox"/>
	<input type="checkbox"/> 0 to 100 A AC		
	<input type="checkbox"/> 0 to 200 A AC		
	<input type="checkbox"/> 0 to 400 A AC		
	<input type="checkbox"/> 0 to 600 A AC		
	<input type="checkbox"/> Unused		
INPUT 3	<input type="checkbox"/> 0 to 50 A AC	0 to 600 A AC	<input type="checkbox"/>
	<input type="checkbox"/> 0 to 100 A AC		
	<input type="checkbox"/> 0 to 200 A AC		
	<input type="checkbox"/> 0 to 400 A AC		
	<input type="checkbox"/> 0 to 600 A AC		
	<input type="checkbox"/> Unused		
INPUT 4	<input type="checkbox"/> 0 to 50 A AC	0 to 600 A AC	<input type="checkbox"/>
	<input type="checkbox"/> 0 to 100 A AC		
	<input type="checkbox"/> 0 to 200 A AC		
	<input type="checkbox"/> 0 to 400 A AC		
	<input type="checkbox"/> 0 to 600 A AC		
	<input type="checkbox"/> Unused		

## ■ CONVERSION RATE

ITEM	SET VALUE	DEFAULT VALUE	Factory Internal check
CONVERSION RATE CONVERSION ACCURACY	<input type="checkbox"/> 80ms / ±0.5%	80ms / ±0.5%	<input type="checkbox"/>
	<input type="checkbox"/> 40ms / ±0.5%		
	<input type="checkbox"/> 20ms / ±1.0%		
	<input type="checkbox"/> 10ms / ±2.0%		

■ **DATA RANGE**

With standard setting, the input range of the sensor is converted to 0 to engineering unit value x 100.  
If converting to other scaling value is required, specify below.

■ **INPUT RANGE**

CHANNEL	0 % INPUT CURRENT *	100 % INPUT CURRENT *	Factory Internal check
INPUT 1			<input type="checkbox"/>
INPUT 2			<input type="checkbox"/>
INPUT 3			<input type="checkbox"/>
INPUT 4			<input type="checkbox"/>

\* Specify 0 % input value and 100 % input value within input range of each sensor.

■ **SCALING VALUES**

CHANNEL	0 % SCALING VALUE	100 % SCALING VALUE	AVAILABLE VALUE	DEFAULT VALUE (0 % to 100 %)	Factory Internal check
INPUT 1			-32 000 to +32 000	0 to 10 000	<input type="checkbox"/>
INPUT 2			-32 000 to +32 000	0 to 10 000	<input type="checkbox"/>
INPUT 3			-32 000 to +32 000	0 to 10 000	<input type="checkbox"/>
INPUT 4			-32 000 to +32 000	0 to 10 000	<input type="checkbox"/>