

ORDERING INFORMATION

MODEL : R3-CT8B

PLEASE FILL IN THIS SECTION



Model
Company
Name
P/O No.

FACTORY USE ONLY



Job No.	Approved by (Sales office)
Ser No.	Issued by (Sales office)
Sales	Approved by (Factory)
	Set by (Factory)
Ser No.	

Specify the items you want to change. Default setting will be used if not specified.
 DEFAULT shows values in case of nothing specified.

■ SENSOR SETTING

CHANNEL	SET VALUE	DEFAULT VALUE	Factory Internal check
INPUT 1-4	<input type="checkbox"/> 0 to 50 A AC	0 to 600 A AC	<input type="checkbox"/>
	<input type="checkbox"/> 0 to 100 A AC		
	<input type="checkbox"/> 0 to 200 A AC		
	<input type="checkbox"/> 0 to 400 A AC		
	<input type="checkbox"/> 0 to 600 A AC		
INPUT 5-8	<input type="checkbox"/> 0 to 50 A AC	0 to 600 A AC	<input type="checkbox"/>
	<input type="checkbox"/> 0 to 100 A AC		
	<input type="checkbox"/> 0 to 200 A AC		
	<input type="checkbox"/> 0 to 400 A AC		
	<input type="checkbox"/> 0 to 600 A AC		

■ SETTING FOR UNUSED CHANNEL

CHANNEL	SET VALUE	Factory Internal check
INPUT 1	<input type="checkbox"/> Unused	<input type="checkbox"/>
INPUT 2	<input type="checkbox"/> Unused	<input type="checkbox"/>
INPUT 3	<input type="checkbox"/> Unused	<input type="checkbox"/>
INPUT 4	<input type="checkbox"/> Unused	<input type="checkbox"/>
INPUT 5	<input type="checkbox"/> Unused	<input type="checkbox"/>
INPUT 6	<input type="checkbox"/> Unused	<input type="checkbox"/>
INPUT 7	<input type="checkbox"/> Unused	<input type="checkbox"/>
INPUT 8	<input type="checkbox"/> Unused	<input type="checkbox"/>

■ CONVERSION RATE

ITEM	SET VALUE	DEFAULT VALUE	Factory Internal check
CONVERSION RATE CONVERSION ACCURACY	<input type="checkbox"/> 160ms / ±0.5%	160ms / ±0.5%	<input type="checkbox"/>
	<input type="checkbox"/> 80ms / ±0.5%		
	<input type="checkbox"/> 40ms / ±1.0%		
	<input type="checkbox"/> 20ms / ±2.0%		

■ **DATA RANGE**

With standard setting, the input range of the sensor is converted to 0 to engineering unit value x 100.
If converting to other scaling value is required, specify below.

■ **INPUT RANGE**

CHANNEL	0 % INPUT CURRENT *	100 % INPUT CURRENT *	Factory Internal check
INPUT 1			<input type="checkbox"/>
INPUT 2			<input type="checkbox"/>
INPUT 3			<input type="checkbox"/>
INPUT 4			<input type="checkbox"/>
INPUT 5			<input type="checkbox"/>
INPUT 6			<input type="checkbox"/>
INPUT 7			<input type="checkbox"/>
INPUT 8			<input type="checkbox"/>

* Specify 0 % input value and 100 % input value within input range of each sensor.

■ **SCALING VALUES**

CHANNEL	0 % SCALING VALUE	100 % SCALING VALUE	AVAILABLE VALUE	DEFAULT VALUE (0 % to 100 %)	Factory Internal check
INPUT 1			-32 000 to +32 000	0 to 10 000	<input type="checkbox"/>
INPUT 2			-32 000 to +32 000	0 to 10 000	<input type="checkbox"/>
INPUT 3			-32 000 to +32 000	0 to 10 000	<input type="checkbox"/>
INPUT 4			-32 000 to +32 000	0 to 10 000	<input type="checkbox"/>
INPUT 5			-32 000 to +32 000	0 to 10 000	<input type="checkbox"/>
INPUT 6			-32 000 to +32 000	0 to 10 000	<input type="checkbox"/>
INPUT 7			-32 000 to +32 000	0 to 10 000	<input type="checkbox"/>
INPUT 8			-32 000 to +32 000	0 to 10 000	<input type="checkbox"/>