

ORDERING INFORMATION

MODEL : R30CT4E

PLEASE FILL IN THIS SECTION



Model _____

Company _____

Name _____

P/O No. _____

FACTORY USE ONLY



Job No. _____

Ser No. _____

Sales _____

Approved by (Sales office) _____

Issued by (Sales office) _____

Approved by (Factory) _____

Set by (Factory) _____

Ser No. _____

Specify the items you want to change. Default setting will be used if not specified.

DEFAULT shows values in case of nothing specified.

CHANNEL INDIVIDUAL SETTING

■ INPUT SENSOR

| CHANNEL | SET VALUE | DEFAULT VALUE | Factory Internal check |
|---------|---|---------------|--------------------------|
| Input 1 | <input type="checkbox"/> CLSE-60 <input type="checkbox"/> CLSE-40 <input type="checkbox"/> CLSE-20 <input type="checkbox"/> CLSE-10 <input type="checkbox"/> CLSE-05 <input type="checkbox"/> CLSE-R5 <input type="checkbox"/> CH Disable | CLSE-60 | <input type="checkbox"/> |
| Input 2 | <input type="checkbox"/> CLSE-60 <input type="checkbox"/> CLSE-40 <input type="checkbox"/> CLSE-20 <input type="checkbox"/> CLSE-10 <input type="checkbox"/> CLSE-05 <input type="checkbox"/> CLSE-R5 <input type="checkbox"/> CH Disable | CLSE-60 | <input type="checkbox"/> |
| Input 3 | <input type="checkbox"/> CLSE-60 <input type="checkbox"/> CLSE-40 <input type="checkbox"/> CLSE-20 <input type="checkbox"/> CLSE-10 <input type="checkbox"/> CLSE-05 <input type="checkbox"/> CLSE-R5 <input type="checkbox"/> CH Disable | CLSE-60 | <input type="checkbox"/> |

| CHANNEL | SET VALUE | DEFAULT VALUE | Factory Internal check |
|---------|---|---------------|--------------------------|
| Input 4 | <input type="checkbox"/> CLSE-60 <input type="checkbox"/> CLSE-40 <input type="checkbox"/> CLSE-20 <input type="checkbox"/> CLSE-10 <input type="checkbox"/> CLSE-05 <input type="checkbox"/> CLSE-R5 <input type="checkbox"/> CH Disable | CLSE-60 | <input type="checkbox"/> |

■ SCALED RANGE ZERO/SPAN

| CHANNEL | | AVAILABLE VALUE | SET VALUE | DEFAULT VALUE | Factory Internal check |
|---------|-------------------|-----------------|-----------|---------------|--------------------------|
| Input 1 | Scaled range Zero | 0 to 64,000 | | 0 | <input type="checkbox"/> |
| | Scaled range Span | 0 to 64,000 | | 0 | <input type="checkbox"/> |
| Input 2 | Scaled range Zero | 0 to 64,000 | | 0 | <input type="checkbox"/> |
| | Scaled range Span | 0 to 64,000 | | 0 | <input type="checkbox"/> |
| Input 3 | Scaled range Zero | 0 to 64,000 | | 0 | <input type="checkbox"/> |
| | Scaled range Span | 0 to 64,000 | | 0 | <input type="checkbox"/> |
| Input 4 | Scaled range Zero | 0 to 64,000 | | 0 | <input type="checkbox"/> |
| | Scaled range Span | 0 to 64,000 | | 0 | <input type="checkbox"/> |

* In the case of DEFAULT VALUE: 0, it is integer that engineering unit value (A) multiplied by 100 (for CLSE-R5, integer that engineering unit value (A) multiplied by 1000).

■ LOW-END CUTOUT

| CHANNEL | AVAILABLE VALUE | SET VALUE | DEFAULT VALUE | Factory Internal check |
|---------|-----------------|-----------|---------------|--------------------------|
| Input 1 | 0.5 to 50.0% | | 1.0% | <input type="checkbox"/> |
| Input 2 | 0.5 to 50.0% | | 1.0% | <input type="checkbox"/> |
| Input 3 | 0.5 to 50.0% | | 1.0% | <input type="checkbox"/> |
| Input 4 | 0.5 to 50.0% | | 1.0% | <input type="checkbox"/> |

CHANNEL BATCH SETTING

■ CONVERSION RATE

| ITEM | SET VALUE | DEFAULT VALUE | Factory Internal check |
|---------------------------------------|--|---------------|--------------------------|
| Conversion rate / Conversion accuracy | <input type="checkbox"/> 80ms/±0.5% <input type="checkbox"/> 40ms/±0.5% <input type="checkbox"/> 20ms/±1.0% <input type="checkbox"/> 10ms/±2.0% | 80ms/±0.5% | <input type="checkbox"/> |

■ OPERATIONAL DELAY AT POWER ON

| ITEM | AVAILABLE VALUE | SET VALUE | DEFAULT VALUE | Factory Internal check |
|-------------------------------|------------------|-----------|---------------|--------------------------|
| Operational delay at power on | 0.0 to 60.0 sec. | | 5.0 sec. | <input type="checkbox"/> |