ORDERING INFORMATION MODEL: 49AV3

| PLEASE FILL IN THIS SECTION | FACTORY USE | ONLY |
|-----------------------------|-------------|-----------------------------|
| Model | Job No. | Approved by (Sales office) |
| Company | Ser No. | Issued by (Sales office) |
| Name | Sales | Approved by (Factory) |
| P/O No. | | Set by (Factory) |
| | | Ser No |

Specify the items you want to change. Default setting will be used if not specified.

■DIGITAL METER SCALE SETTING

| ITEM | AVAILABLE RANGE | SET VALUE | DEFAULT VALUE | Factory Internal check |
|---------------------|-----------------|-----------|---------------|------------------------------|
| Digital Meter Scale | -1999 to 9999 | | 0.0 – 100.0 | |

To specify the range of scale setting, specify it so that the display span ignoring decimal point is "120" or more.

e.g.) To specify scale setting within the range of 5 to 35.

Setting 1: NG \rightarrow "5" to "35" Setting 2: Good \rightarrow "5.0" to "35.0"

In case of setting 2, span ignoring decimal point is regarded as "300".

■ ALARM SETTING

| ITEM | AVAILABLE RANGE | | SET VALUE | DEFAULT VALUE | Factory Internal check |
|-------------|-------------------------------|----------------------------|-----------|---------------|------------------------------|
| LL Setpoint | 4-point alarm type | 0 to 100 (% indication) | | 10 (at 10%) | |
| L Setpoint | 2-point or 4-point alarm type | 0 to 100 (% indication) | | 30 (at 30%) | |
| H Setpoint | 2-point or 4-point alarm type | 0 to 100 (% indication) | | 70 (at 70%) | |
| HH Setpoint | 4-point alarm type | 0 to 100 (% indication) | | 90 (at 90%) | |

Note: Not necessary for None-alarm type. Setpoints must be L < H for 2-point alarm type, LL < L < H < HH for 4-point alarm type.

■ BAR COLOR SETTING (Positions at which bar color changes)

| ITEM | AVAILABLE RANGE | | SET VALUE | DEFAULT VALUE | Factory Internal check |
|------------------|-----------------------------------|----------------------------|-----------|---------------|------------------------------|
| Color Setpoint 1 | None-alarm type (Display only) | 0 to 100 (% indication) | | 30 (at 30%) | |
| Color Setpoint 2 | None-alarm type (Display only) | 0 to 100 (% indication) | | 70 (at 70%) | |

Note: Setpoints must be Color Setpoint 1 < Color Setpoint 2.

■BARGRAPH COLOR PATTERN SETTING

| BARORAI II GOLORI AI I ERRI GETTING | | | | | |
|-------------------------------------|------------------|---------------|------------------------------|--|--|
| ITEM | SET VALUE | DEFAULT VALUE | Factory Internal check | | |
| Bargraph Color Pattern | □ Pattern 1 | Pattern 1 | | | |
| | □ Pattern 2 | | | | |
| | □ Red (single) | | | | |
| | ☐ Amber (single) | | | | |
| | ☐ Green (single) | | | | |