

# ORDERING INFORMATION

# MODEL : 47LPA

## PLEASE FILL IN THIS SECTION



Model
Company
Name
P/O No.

## FACTORY USE ONLY



Job No.	Approved by (Sales office)
Ser No.	Issued by (Sales office)
Sales	Approved by (Factory)
	Set by (Factory)
Ser No.	

**Specify the items you want to change. Default setting will be used if not specified.**

DEFAULT shows values in case of nothing specified.

### ■ INPUT TYPE SETTING


ITEM	SET VALUE	DEFAULT VALUE	Factory Internal check	
<b>Scaling Setting Mode</b> → Input Type	<input type="checkbox"/> F0.01 : 0 – 10.000 mHz <input type="checkbox"/> F0.1 : 0 – 100.00 mHz <input type="checkbox"/> F1 : 0 – 1.0000 Hz <input type="checkbox"/> F10 : 0 – 10.000 Hz <input type="checkbox"/> F100 : 0 – 100.00 Hz <input type="checkbox"/> F1K : 0 – 1.0000 kHz <input type="checkbox"/> F10K : 0 – 10.000 kHz <input type="checkbox"/> F0.1M : 0 – 100.00 kHz <input type="checkbox"/> T100 : 0 – 100.00 sec <input type="checkbox"/> T10 : 0 – 10.000 sec <input type="checkbox"/> T1 : 0 – 1.0000 sec	Mark <input type="checkbox"/> with <input checked="" type="checkbox"/> if necessary.	F0.1M (0 – 100.0 kHz)	<input type="checkbox"/> Checked

### ■ SCALING SETTING


ITEM	AVAILABLE RANGE	SET VALUE	DEFAULT VALUE	Factory Internal check
<b>Scaling Setting Mode</b> → Input Scaling Value A → Input Scaling Value B → Display Scaling Value A → Display Scaling Value B	F0.01 : 0 – 10.000 mHz F0.1 : 0 – 100.00 mHz F1 : 0 – 1.0000 Hz F10 : 0 – 10.000 Hz F100 : 0 – 100.00 Hz F1K : 0 – 1.0000 kHz F10K : 0 – 10.000 kHz F0.1M : 0 – 100.00 kHz T100 : 0 – 100.00 sec T10 : 0 – 10.000 sec T1 : 0 – 1.0000 sec	Input Scaling Value A (F0.01: 0.000 – 10.000) (F0.1: 0.00 – 100.00) (F1: 0.0000 – 1.0000) (F10: 0.000 – 10.000) (F100: 0.00 – 100.00) (F1K: 0.0000 – 1.0000) (F10K: 0.000 – 10.000) (F0.1M: 0.00 – 100.00) (T100: 0.00 – 100.00) (T10: 0.000 – 10.000) (T1: 0.0000 – 1.0000)	0.00	<input type="checkbox"/> Checked
		Display Scaling Value A (-19999 – 19999)	0.00	
	A*	Input Scaling Value B (F0.01: 0.000 – 10.000) (F0.1: 0.00 – 100.00) (F1: 0.0000 – 1.0000) (F10: 0.000 – 10.000) (F100: 0.00 – 100.00) (F1K: 0.0000 – 1.0000) (F10K: 0.000 – 10.000) (F0.1M: 0.00 – 100.00) (T100: 0.00 – 100.00) (T10: 0.000 – 10.000) (T1: 0.0000 – 1.0000)	100.00	
		Display Scaling Value B (-19999 – 19999)	100.00	

\* About scaling point 'A' and 'B.'

- Normal Scaling  
The display value increases when the input signal increases.



- Inverted Scaling  
The display value decreases when the input signal increases.



Set the decimal point according to the necessary accuracy.

### ■ ALARM SETTING

ITEM	AVAILABLE RANGE		SET VALUE	DEFAULT VALUE	Factory Internal check
Alarm Setting Mode → LL Setpoint	-19999 – 19999 (Decimal point is disregarded.) '----' for None Alarm	Specify the value within the range.		10.00	<input type="checkbox"/> Checked
Alarm Setting Mode → L Setpoint	-19999 – 19999 (Decimal point is disregarded.) '----' for None Alarm	Specify the value within the range.		30.00	
Alarm Setting Mode → H Setpoint	-19999 – 19999 (Decimal point is disregarded.) '----' for None Alarm	Specify the value within the range.		70.00	
Alarm Setting Mode → HH Setpoint	-19999 – 19999 (Decimal point is disregarded.) '----' for None Alarm	Specify the value within the range.		90.00	

Note: When scaling setting is specified and alarm setting is not specified, L and LL are set to display scaling value A, H and HH are set to display scaling value B.

### ■ FREQUENCY DIVIDING (scaling to 1/n)

ITEM	AVAILABLE RANGE		SET VALUE	DEFAULT VALUE	Factory Internal check
Advanced Setting Mode → Scaling Factor	1 – 999	Specify the value within the range.		1	<input type="checkbox"/> Checked

### ■ ENGINEERING UNIT STICKER LABEL

ITEM	AVAILABLE RANGE		SET VALUE	DEFAULT VALUE	Factory Internal check
Engineering unit	DC, AC, mV, V, kV, μA, mA, A, kA, mW, W, kW, var, kvar, Mvar, VA, Hz, Ω, kΩ, MΩ, cm, mm, m, m/sec, mm/min, cm/min, m/min, m/h, m/s <sup>2</sup> , inch, l, l/s, l/min, l/h, m <sup>3</sup> , m <sup>3</sup> /sec, m <sup>3</sup> /min, m <sup>3</sup> /h, Nm <sup>3</sup> /h, N·m, N/m <sup>2</sup> , g, kg, kg/h, N, kN, Pa, kPa, MPa, t, t/h, °C, °F, %RH, J, kJ, MJ, rpm, sec, min, min <sup>-1</sup> , pH, %, ppm	Select one if necessary.		none	<input type="checkbox"/> Checked

\*Location of the sticker label

